

# Holiday Home

Q1417 & Q1616

by Abbott Designs

**Free Pattern**  
Offered in independent  
Quilt Shops to Complement  
this Fabric Collection.

**Wall Hanging - (WH)**  
**Topper/ Throw (TT)**

**Coordinating Nutcracker Panel Q1417-70146-327**  
**Coordinating Tablecloth Q1616-81518-157 or -337**  
**Coordinating Tree Skirt Q1616-81519-172**

*Table Topper/ Throw 61.5" x 61.5"*



*Coordinating Nutcracker Panel*



**Fabric A**  
Q1417-70144-713  
WH: 1 panel (30")

*Coordinating Tablecloth*



**Fabric B**  
Q1417-70145-723  
WH: 1/2 yard



*Coordinating Tree Skirt Panel*

*Wall Hanging 74" x 74"*



**Fabric C**  
Q1417-70147-273  
WH: 1 yard



**Fabric D**  
Q1417-70147-773  
WH: 1 1/3 yards



**Fabric E**  
Q1417-70148-423  
TT: 1 yard



**Fabric F**  
Q1417-70149-227  
WH: 1 yard  
TT: 1 yard



**Fabric G**  
Q1417-70149-327  
WH: 1/2 yard



**Fabric H**  
Q1417-70150-155  
WH: 1 yard  
(includes binding)  
TT: 2/3 yard



**Fabric I**  
Q1417-70150-355  
TT: 1 1/3 yards



**Fabric J**  
Q1417-70151-335  
WH: 1 1/3 yards  
TT: 1 yard



**Fabric K**  
Q1417-70151-775  
WH: 1 1/3 yards  
TT: 1 3/4 yards  
(includes binding)



**Fabric L, Complements**  
Q1402-26035-777  
Backing only  
WH: 4 3/4 yards  
TT: 3 3/4 yards



# Holiday Home

Please read all instructions carefully before starting. All instructions include a 1/4" seam allowance and strips are cut from selvage to selvage unless otherwise stated.

## Wall Hanging Instructions: approximate size 74" x 74"

### 1. Cut the following:

**Fabric A** - \*\*cut 4 - 14 1/2" x 14 1/2" squares (center designs evenly)

**Fabric B** - cut lengthwise - cut 4 - 5 1/2" x 15 1/2" (center designs evenly)

**Fabric C** - cut 3 - 5 1/2" strips, subcut 16 - 5 1/2" squares  
cut 5 - 2 3/4" strips (4-patches)

**Fabric D** - cut 3 - 2 1/2" strips (9-patches)

**Border** - 8 - 3 3/4" strips, sew end to end for 1 long strip then subcut 2 - 3 3/4" x 68" (Sides) and  
2 - 3 3/4" x 74 1/2" (Top and Bottom)

**Fabric F** - cut 4 - 6 1/2" strips, subcut 32 - 5" x 6 1/2"

**Fabric G** - cut 2 - 5 1/2" strips, subcut 4 - 5 1/2" x 15 1/2"

**Fabric H** - \*\*cut 8 - 1" strips, subcut 8 - 1" x 14 1/2" (Sides)  
and 8 - 1" x 15 1/2" (Top and Bottom)

**Binding** - cut 8 - 2 1/4" strips, sew end to end and press in half.


**Fabric J** - cut 2 - 5 1/2" strips, subcut 4 - 5 1/2" x 15 1/2"  
cut 3 - 2 1/2" strips (9-patches)  
cut 5 - 2 3/4" strips (4-patches)

**Fabric K** - cut 2 - 15 1/2" strips, subcut 40 - 2" x 15 1/2"  
(sashing)

### 2. Piecing Order:


1. Sew **H** 1" borders around 4 **A** blocks, sides first, then top and bottom borders.

\*\* (If **A** measurements are slightly different, cut **H** borders slightly larger, sew around **A** blocks, then trim all **A** blocks to measure 15 1/2" x 15 1/2".)




2. Make 4 - 15" finished (15 1/2" unf.) center blocks.

First, draw a diagonal line on the back side of all 16 **C** 5 1/2" squares. Next, place a **C** square over both ends of **J** and **G** 5 1/2" x 15 1/2" rectangles, right sides together and match corners. Stitch ON the drawn line. Trim 1/4" from seam and press triangle outward according to the diagram.




make 4 **C/G** rectangles  
make 4 **C/J** rectangles

Next, sew rectangles and **B** 5 1/2" x 15 1/2" together for 4 center blocks according to the diagram.




3. Make 32 - 4 1/2" finished (5" unf.) 4-patches. Make 5 strip sets by sewing one **C** and **J** 2 3/4" strips side by side. Press toward **J**. Subcut 64 - 2 3/4" segments. Then sew segments together for 32 4-patches.




4. Make 8 - 6" finished (6 1/2" unf.) 9-patches. First, make one strip set by sewing **J**, **D**, **J** 2 1/2" strips side by side. Press toward **J**. Subcut 16 - 2 1/2" segments for the top and bottom row.

Next, make one strip set by sewing **D**, **J**, **D** 2 1/2" strips side by side. Press toward **J**. Subcut 8 - 2 1/2" segments for the middle row.


Sew rows together for 8 9-patches.



5. Make 8 - 15" finished (15 1/2" unf.) blocks by sewing 4-patches, 9-patches and **F** 5" x 6 1/2" rectangles together by rows according to the diagram.



=



# Wall Hanging Instructions Cont.


## Page Two

6. Sew 5 rows of sashing each alternating 4 **K** 2" x 15 1/2" and 5 **J** 2" cornerstones.



7. Sew rows of blocks alternating with **K** sashing strips according to the diagram. Then sew rows of blocks and rows of sashing together for quilt center.

8. Sew **D** borders around quilt center, sides first, then top and bottom borders.



9. The Wall Hanging measures approximately 74" x 74". Make backing (**Fabric L**) at least 6" larger than the top. Baste together top, batting and backing. Quilt as desired. Attach binding (**Fabric H**) and enjoy!!

# Table Topper Instructions

approximate size 61 1/2" x 61 1/2"

## Page Three

### 1. Cut the following:

**Fabric E** - cut 4 - 6 7/8" strips, subcut 16 - 6 7/8" squares

**Fabric F** - cut 4 - 6 7/8" strips, subcut 16 - 6 7/8" squares

**Fabric H** - Border - cut 7 - 2 1/2" strips, sew end to end for 1 long strip then subcut 2 - 2 1/2" x 57 1/2" (Sides) and 2 - 2 1/2" x 61 1/2" (Top and Bottom)

**Fabric I** - Sashing - cut 6 - 6 1/2" strips (set 3 strips aside), subcut 72 - 1 1/2" x 6 1/2"

**Fabric J** - cut 4 - 6 7/8" strips, subcut 16 - 6 7/8" squares



**Fabric K** - cut 4 - 6 7/8" strips, subcut 16 - 6 7/8" squares

Cornerstones - cut 4 - 1 1/2" strips, (set 3 strips aside), subcut 9 - 1 1/2" squares

BINDING - cut 7 - 2 1/4" strips, sew end to end and press in half

### 2. Piecing Order:

1. Draw a diagonal line on the back side of 16 **E** and 16 **F** 6 7/8" squares. Pair 8 **E** squares with **J** squares, 8 **E** squares with **K** squares, 8 **F** squares with **J** squares, and 8 **F** squares with **K** squares, right sides together. Stitch 1/4" on both sides of the drawn diagonal line. Cut on the line to separate units. Press toward the darker fabric. Each pair of squares makes two half square triangle units.



make 16



make 16




make 16




make 16

2. Sashing: make 3 strips sets by sewing one **I** 6 1/2" strip and one **K** 1 1/2" strips side by side. Press toward **I**. Subcut 72 - 1 1/2" segments.




Next, make 9 rows of sashing by sewing 8 segments together plus 1 **K** 1 1/2" square according to the diagram.



3. Sew rows of blocks alternating with **I** 1 1/2" x 6 1/2" sashing strips according to the diagram on the next page. Then sew rows of blocks and rows of sashing together for the quilt center.

4. Sew **H** 2 1/2" borders around the quilt center, sides first, then top and bottom borders.



5. The Table Topper measures approximately 61 1/2" x 61 1/2". Make backing (**Fabric L**) at least 6" larger than the top. Baste together top, batting and backing. Quilt as desired. Attach binding (**Fabric K**) and enjoy!!